



Image

RECEIPT

Applicant's Docket No. U 011574-0

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: KARI KIRJAVAINEN, et al

Serial No.: 08/981,360

Group No.: 1772

Filed: DECEMBER 18, 1997

Examiner: CHRISTOPHER P. BRUENJES

For: TUBULAR PRODUCT AND AN EXTRUSION APPARATUS AND METHOD

Commissioner for Patents

P. O. Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CORRECTED FILING RECEIPT

1. Attached is a copy of the official filing receipt received from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.

NOTE: The PTO will not correct the filing receipt until the application is complete (in other words, the applicant files a response to the notice to file missing parts).

2. There is an error with respect to the following data, which is:

[X] incorrectly entered

and/or

[] omitted.

CERTIFICATE OF MAILING/TRANSMISSION (37 C.F.R. 1.8a)

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

- ☒ deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

FACSIMILE

- ☐ transmitted by facsimile to the Patent and Trademark Office.

Date: April 8, 2004

Signature

WILLIAM R. EVANS

(type or print name of person certifying)

Error in

1. ☐ Applicant's name
2. ☐ Applicant's address
3. ☐ Title
4. ☐ Filing Date
5. ☐ Serial Number
6. ☐ Foreign/PCT Application Re:
7. ☒ Other

Correct data

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
7. insert - - Finland 953162 June 26, 1995;
Sweden 9503272-8 September 20,
1995;
Finland 961540 April 4, 1996 and
Finland 961822 April 29, 1996- -

Reg. No.: 25,858

Tel. No.: (212)708-1930

Customer No.: 00140



SIGNATURE OF PRACTITIONER

WILLIAM R. EVANS

(type or print name of practitioner)

LADAS & PARRY

P.O. Address

26 WEST 61ST STREET
NEW YORK, NEW YORK 10023